

金子周一 (かねこしゅういち)



連絡先:

石川県金沢市宝町 13-1

Tel: 076-265-2235; Fax: 076-234-4250

Email: skaneko@m-kanazawa.jp

学歴:

- 1982 年 金沢大学医学部医学科卒業 (MD)
- 1986 年 金沢大学医学研究科内科学修了 (PhD)
- 1987 年 Visiting fellow: National Institutes of Health (NIH), USA
- 1993 年 Visiting professor: University of Southern California, USA

所属・職名:

- 金沢大学医薬保健学総合研究科長、医薬保健研究域医学系長
- 金沢大学大学院医学系研究科・医薬保健学域医学類 環境医科学専攻
恒常性制御学 教授
- 金沢大学附属病院消化器内科 科長
- 金沢大学附属病院肝臓センター センター長

所属学会:

- 日本肝臓学会 理事
- 日本消化器病学会 評議員
- 日本癌学会 評議員
- アメリカ肝臓学会 会員

論文誌編集委員会:

- Hepatology Research (Editor-in-Chief)
- Liver International (Associate editor)
- Cancer Science (Associate editor)
- Immuno-Gastroenterology (Associate editor)
- The Open Medicine Journal (Advisory board)
- Journal of Hepatology (Board member)
- Disease markers (Board member)
- Hepatology International (Board member)
- Internal Medicine (Board member)
- World Journal of Clinical Oncology (Board member)
- American Journal of Cancer Research (Board member)

受賞歴:

- 1991 ウイルス肝炎研究財団研究奨励賞
- 1993 日本肝臓学会研究奨励賞
- 1995 かなえ医学奨励賞
- 2004 文部科学大臣賞(産学官連携功労者表彰)

- 2005 織田賞(日本肝臓学会学会賞)
2009 北國文化賞
2013 発明賞
2014 文部科学大臣表彰(科学技術賞開発部門)

著書・論文: (total 380) :

Antitumor effect after radiofrequency ablation of murine hepatoma is augmented by an active variant of CC Chemokine ligand 3/macrophage inflammatory protein-1alpha.

Iida N, Nakamoto Y, Baba T, Nakagawa H, Mizukoshi E, Naito M, Mukaida N, Kaneko S.
Cancer Res. 2010 Aug 15;70(16):6556-65.

La protein required for internal ribosome entry site-directed translation is a potential therapeutic target for hepatitis C virus replication.

Shirasaki T, Honda M, Mizuno H, Shimakami T, Okada H, Sakai Y, Murakami S, Wakita T, Kaneko S.
J Infect Dis. 2010 Jul 1;202(1):75-85.

Oncostatin m renders epithelial cell adhesion molecule-positive liver cancer stem cells sensitive to 5-Fluorouracil by inducing hepatocytic differentiation.

Yamashita T, Honda M, Nio K, Nakamoto Y, Yamashita T, Takamura H, Tani T, Zen Y, Kaneko S.
Cancer Res. 2010 Jun 1;70(11):4687-97.

Hepatic ISG expression is associated with genetic variation in interleukin 28B and the outcome of IFN therapy for chronic hepatitis C.

Honda M, Sakai A, Yamashita T, Nakamoto Y, Mizukoshi E, Sakai Y, Yamashita T, Nakamura M, Shirasaki T, Horimoto K, Tanaka Y, Tokunaga K, Mizokami M, Kaneko S; Hokuriku Liver Study Group.
Gastroenterology. 2010 Aug;139(2):499-509.

Altered hepatic gene expression profiles associated with myocardial ischemia.

Ootsuji H, Honda M, Kaneko S, Usui S, Okajima M, Okada H, Sakai Y, Takamura T, Horimoto K, Takamura M.
Circ Cardiovasc Genet. 2010 Feb 1;3(1):68-77

Comprehensive gene expression analysis of 5'-end of mRNA identified novel intronic transcripts associated with hepatocellular carcinoma.

Hodo Y, Hashimoto S, Honda M, Yamashita T, Suzuki Y, Sugano S, Kaneko S, Matsushima K.
Genomics. 2010 Apr;95(4):217-23.

Fibrocytes are involved in the pathogenesis of human chronic kidney disease.

Sakai N, Furuichi K, Shinozaki Y, Yamauchi H, Toyama T, Kitajima S, Okumura T, Kokubo S, Kobayashi M, Takasawa K, Takeda S, Yoshimura M, Kaneko S, Wada T.
Hum Pathol. 2010 May;41(5):672-8.

dUTP pyrophosphatase expression correlates with a poor prognosis in hepatocellular carcinoma.

Takatori H, Yamashita T, Honda M, Nishino R, Arai K, Yamashita T, Takamura H, Ohta T, Zen Y, Kaneko S.

Liver Int. 2010 Mar;30(3):438-46.

CD14+ monocytes are vulnerable and functionally impaired under endoplasmic reticulum stress in patients with type 2 diabetes.

Komura T, Sakai Y, Honda M, Takamura T, Matsushima K, Kaneko S.
Diabetes. 2010 Mar;59(3):634-43.

Histological course of nonalcoholic fatty liver disease in Japanese patients: tight glycemic control, rather than weight reduction, ameliorates liver fibrosis.

Hamaguchi E, Takamura T, Sakurai M, Mizukoshi E, Zen Y, Takeshita Y, Kurita S, Arai K, Yamashita T, Sasaki M, Nakanuma Y, Kaneko S.
Diabetes Care. 2010 Feb;33(2):284-6.

Enhancement of tumor-specific T-cell responses by transcatheter arterial embolization with dendritic cell infusion for hepatocellular carcinoma.

Mizukoshi E, Nakamoto Y, Arai K, Yamashita T, Mukaida N, Matsushima K, Matsui O, Kaneko S.
Int J Cancer. 2010 May 1;126(9):2164-74.

Altered firing pattern of single-unit muscle sympathetic nerve activity during handgrip exercise in chronic heart failure.

Murai H, Takamura M, Maruyama M, Nakano M, Ikeda T, Kobayashi D, Otowa K, Ootsuji H, Okajima M, Furusho H, Takata S, Kaneko S.
J Physiol. 2009 Jun 1;587(Pt 11):2613-22.

Palmitate induces insulin resistance in H4IIEC3 hepatocytes through reactive oxygen species produced by mitochondria.

Nakamura S, Takamura T, Matsuzawa-Nagata N, Takayama H, Misu H, Noda H, Nabemoto S, Kurita S, Ota T, Ando H, Miyamoto K, Kaneko S.
J Biol Chem. 2009 May 29;284(22):14809-18.

The hepatic circadian clock is preserved in a lipid-induced mouse model of non-alcoholic steatohepatitis.

Ando H, Takamura T, Matsuzawa-Nagata N, Shima KR, Nakamura S, Kumazaki M, Kurita S, Misu H, Togawa N, Fukushima T, Fujimura A, Kaneko S.
Biochem Biophys Res Commun. 2009 Mar 13;380(3):684-8.

Dendritic cells contribute to autoimmune kidney injury in MRL-Fas^{lpr} mice.

Iwata Y, Furuichi K, Sakai N, Yamauchi H, Shinozaki Y, Zhou H, Kurokawa Y, Toyama T, Kitajima S, Okumura T, Yamada S, Maruyama I, Matsushima K, Kaneko S, Wada T.
J Rheumatol. 2009 Feb;36(2):306-14.

Differential microRNA expression between hepatitis B and hepatitis C leading disease progression to hepatocellular carcinoma.

Ura S, Honda M, Yamashita T, Ueda T, Takatori H, Nishino R, Sunakozaka H, Sakai Y, Horimoto K, Kaneko S.
Hepatology. 2009 Apr;49(4):1098-112.

EpCAM-positive hepatocellular carcinoma cells are tumor-initiating cells with stem/progenitor cell features.

Yamashita T, Ji J, Budhu A, Forgues M, Yang W, Wang HY, Jia H, Ye Q, Qin LX, Wauthier E, Reid LM, Minato H, Honda M, Kaneko S, Tang ZY, Wang XW.
Gastroenterology. 2009 Mar;136(3):1012-24.

Chemokine/chemokine receptor-mediated inflammation regulates pathologic changes from acute kidney injury to chronic kidney disease.

Furuichi K, Kaneko S, Wada T.
Clin Exp Nephrol. 2009 Feb;13(1):9-14.

Activation of lipogenic pathway correlates with cell proliferation and poor prognosis in hepatocellular carcinoma.

Yamashita T, Honda M, Takatori H, Nishino R, Minato H, Takamura H, Ohta T, Kaneko S.
J Hepatol. 2009 Jan;50(1):100-10.

Clock gene expression in peripheral leucocytes of patients with type 2 diabetes.

Ando H, Takamura T, Matsuzawa-Nagata N, Shima KR, Eto T, Misu H, Shiramoto M, Tsuru T, Irie S, Fujimura A, Kaneko S.
Diabetologia. 2009 Feb;52(2):329-35.